

**REMARKS**

Claims 1 to 4 have been canceled.

Claims 9 to 12 have been previously added in the response dated June 21, 2010.

Claims 5 to 12 are currently pending in the present application.

Claim 8 is currently amended to correct a typographical error previously presented in the response dated June 21, 2010. The claim has been amended to now recite "470°C to 500°C" instead of "470°C to 5000°C." Support for this amendment can be found in the original claim 8 of patent U.S. 5,940,464. The extra "0" in "5000" of claim 8 is not shown in brackets in the this amendment. Rather, the extra "0" is simply omitted from the claim, because the extra "0" never appeared in the original patent. All amendments subsequent to the first amendment must also be made relative to the patent specification in effect as of the date of the filing of the reissue application, and not relative to the prior amendment. (MPEP §1453).

**Interview Summary**

Applicants' representative, Danielle Sullivan (Reg. No. 64,125) and Examiner Palabrica conducted a telephonic interview on July 23, 2010, and Applicants' representative thanks Examiner Palabrica for his time. Examiner Palabrica recommended filing a supplemental amendment to correct the typographical error discussed in claim 8.

Applicant is currently submitting such an amendment to correct the typographical error of claim 8.

Applicants believe that no fees are due as a result of this amendment. In the event of a fee discrepancy, please charge our Deposit Account No. 50-0552.

Respectfully submitted,

DAVIDSON, DAVIDSON & KAPPEL, LLC

DATED: August 27, 2010

By: 

William C. Gehris, Reg. No. 38,156

Davidson, Davidson & Kappel, LLC  
485 Seventh Avenue - 14<sup>th</sup> Floor  
New York, New York 10018  
(212) 736-1940